

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	SBG, RAD, TP, FE, FEM	ACEBI
Winch	TBE, TR, TE	
Launching Appliances	BDH, BDR, BDF, FF	BADA HI
Winch	BWL, BHI, BRW, FW	
Release Gear	BHR	
Release Gear	U-HOOK	BIANCHI & CECCHI
Launching Appliances	D-RT, D-H, D-FG, D-FH, C-FS, D-CR, D-RC, D-BC, D-NP.SP, D-NP.MP, D-NPS, D-BR, D-ND	DAVIT INTERNATIONAL
Winch	01, 02, 03, 04, 06, 07, 12, 14, 18, 26, 34, 40, 60,	
Release Gear	RH, OLH, RH, ALH	
Survival Crafts	GMR, TGNR, CLR-C, CLR-T, CL-C, CL-T, CLX, CFL, CFL-T, GAR, GAR-T, CFL-C, CL-P, SEL, SEL-R, SEL-T, TL LIMO, PLL, PLT-EVO, SEL-RT, RR, RIR, FR, FRR, FRIR, SFB	FASSMER
Launching Appliances	FHD, FHDY, FFH, FPD, FLT, FMPD, FOD, FOD-LBC, FOD-SAR, FOD-R, FOD-TC, FOSV, FSAH, FSAR, FSARR, PRHE	
Winch	DEW, FWD, FFWH	
Release Gear	FFRU, FOH, DUPLEX	
Survival Crafts	G-FFF, G-RB	
Release Gear	G-FFRM	GEPA
Launching Appliances	LMS, LMES, RMS, RMES, RSP, RHS, RES, LML, RML, RHP, FHS, GSP, GLP, UDSP, UDR	GLOBAL DAVIT
Winch	W	
Release Gear	HR, HRN, HRL	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	HFR, FFL, TEL, RB	GREBEN
Launching Appliances	HFF, RLC, PD, HD, FOD	
Winch	EW	
Release Gear	NLH	
Launching Appliances	GD-FFD, GD-RRS	GÜRDESAN
Winch	GD-FLW, GD-KHK, GD-KV	
Survival Crafts	RB, GFF, GSAR, GSL, RB AB, RB AB DUPLEX, RB AB FH, RB IB, RB/FRB AB FH, GFF-T, GSL-T	HATECKE
Launching Appliances	DFR, FFA, GspFP, DFR PAL, DR, FFA LP, FFB, Gsp.FLH, Gsp.O, W	
Release Gear	DUPLEX, GFF-R, SIMPLEX, RAFTI	
Survival Crafts	HLB	HYUNDAI
Release Gear	TALON	
Launching Appliances	HL6D	HYDRALIFT
Survival Crafts	JYB	JIANGYINSHI BEIHAI
Launching Appliances	FA, SA, SAC	
Release Gear	HK	
Survival Crafts	JY-FN, GJ	
Launching Appliances	JYL, JYF, JYR	JIANGSU JIAOYAN
Winch	JYW, FW	
Release Gear	JX	
Survival Crafts	NPT	JIANGYIN NEPTUNE
Launching Appliances	NPT-DF, NPT-DL, NPT-DR, NPT	
Winch	NPT-DW	
Release Gear	NPT	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	E, M, S, R, D-FH, MFH	MANSEI (MIURA)
Winch	EW, MW, SW, 06	
Release Gear	RH	
Release Gear	RocLoc	MADROCK
Launching Appliances	FD, RD	ORIENTAL
Winch	SWE, RDW	
Survival Crafts	FF, RRB, LBT, MCM, NPD, 8-MxL	PALFINGER (SCHAT-HARDING, HARDING, WATERCRAFT, MULDEY&RIJKE, NOREQ, WATERMAN, FISKARS, NDM, NED-DECK, SCHAT DAVITS, DAVIT COMPANY, MILLS, ACTA, LAR, SEC, NORMAR)
Launching Appliances	NT, RSD, SRR, LT, SAP, MP, 21/14, ST, SAT, LA, VIP, SA, SPR, NDP, FME, NP, MOB-SP, HD/SA, HD, HPL, UDR, UDSP, UNIX, PD, SPLCH, SPLDH, W, PRH, SCM, FME, GT, HT, MT, MS, WP, WL, DC, DR, 08KNT, 16KNT	
Winch	EB, EBR, 2-22, 2-38, 2-58, 3-38, 3-58, BE, 04, 08, 0-13, 1-13, NT, CW, W, LW, TW, RW, EW, FME, HD/W, BE, FD, HW, HT	
Release Gear	TOR, TITAN, LHR, ARH, RRH, H-86, RH, CAR, L, KH	
Launching appliances	RLC, SAR	PELLEGRINI
Winch	EW	
Release Gear	GRA	
Survival Crafts	BH, BH-F	QINGDAO BEIHAI
Launching Appliances	BD-AR, BD-PV, BD-FA, BD-FF, BD-PL, BD-SA	
Winch	BW-L(L/R)	
Release Gear	BG	
Launching Appliances	SHS, SFS, SJR, SJS	SEKIGAHARA SEISAKUSHO
Winch	SWE	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	ZZ-ZOT, ZZ-ZOL, ZZ-ZOLT	SEZAMOR
Winch	WL, WT, WLT	
Release Gear	HS, HL, HLR	
Survival Crafts	FEL, SZ, VOX	SHIGI
Release Gear	SRS, SZK	
Release Gear	TRIPLE 5	SURVIVAL SYSTEM INTERNATIONAL SURVIVAL CRAFT INSPECTORATE
Launching Appliances	SC	
Release Gear	SAFELAUNCH, ROCLOC, SLA	VANGUARD (JIANGYIN VANGUARD)
Survival Crafts	VG-P, VG-R, VG-H, 420	
Release Gear	SH, C-SAFE	
Launching Appliances	CL, PL	VESTDAVIT
Winch	C, P	
Survival Crafts	GES, MAKO, MIDGET	VIKING -NORSAFE (JIANGYIN, JORGENSEN&VIK, WATERCRAFT HELLAS)
Launching appliances	NDA, HD, NDSC, NRC, NDSA	
Winch	HD, DW,	
Release Gear	K-4, DIB, TORHK,	
Launching Appliances	LIFERAFT DAVIT, RESCUE BOAT DAVIT	WOO IL
Winch	MANUAL, ELECTRIC	
Launching Appliances	HMD	WUXI HUAHAI
Winch	HMW	
Release Gear	WHK, 15KN, 21-25KN, 31-37KN	WUXI MINGZI
Release Gear	15KN, 21KN, 23KN, 25KN, 35KN	WUXI XINSHENG

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	YNHD, YNBD	YOUNGMAN MARINE MACHINERY
Winch	YNBW	
Survival Crafts	GJ	ZHEJIANG HENGXIN SHIP EQUIPMENT
Release Gear	HK	
Survival Crafts	RESCUE	ZHENJIANG MARINE
Launching appliances	HE, RE, LE, GL, PL, LFR	
Winch	D, DP, LHR	
Release Gear	HK	
Survival Crafts	RIBO	
Winch	ZHP	ZODIAC
		ZOLLERN

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onboard/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.